

Office of the Controller General of Defence Accounts
Ulan Batar Road, Palam, Delhi Cantt. -10

No. AT/IV/4807/ECHS/X

Dated 15 May 2013

To

The PCDA/CDA.

Sub: - Revision of ceiling rates and guidelines for various Coronary/Vascular Stents for ECHS beneficiaries.

A copy of IHQ, MoD (Army) letter No. B/49773/AG/ECHS/Rates/Policy dated 26/04/2012 on the above subject is enclosed herewith for information and necessary action.

-Sax-

Accounts Officer (AT-IV)

✓ Copy to:-

EDP Cell - for uploading on CGDA website.

1558
16/5/13

Kumar,

Accounts Officer (AT-IV)


Tele: 25684945
ASCON: 36833

Central Organisation, ECHS
Adjutant General's Branch
Integrated Headquarters
Ministry of Defence (Army)
Maude Lines
Delhi Cantt-110010

B/49773/AG/ECHS/Rates/Policy

26 Apr 2013

IHQ of MoD (Navy)/Dir ECHS (N)
Air HQ (VB)/DPS
HQ Southern Command (A/ECHS)
HQ Eastern Command (A/ECHS)
HQ Western Command (A/ECHS)
HQ Central Command (A/ECHS)
HQ Northern Command (A/ECHS)
HQ South Western Command (A/ECHS)
HQ Andaman & Nicobar Command (A/ECHS)
()
All Regional Centres



**REVISION OF CEILING RATES AND GUIDELINES FOR VARIOUS
CORONARY/VASCULAR STENTS FOR ECHS BENEFICIARIES**

1. Reference Para 2 (a) to Para (b) to this Organisation letter No. B/49773/AG/ECHS/Rates/Policy dated 25 Nov 2011.
2. CGHS has revised the rates of Coronary/Vascular Stents on 21 Feb 2013. Revised rates and guidelines for Coronary/Vascular Stents for reimbursement to ECHS beneficiaries are given in succeeding Paras. DCGI approved Coronary/Vascular Stents will be reimbursed as per the ceiling rates mentioned below:

(a) **Drug Eluting Coronary Stents.**

- (i) All DCGI and FDA approved Drug Eluting Stents - Rs 25,000/-
- (ii) All DCGI and CE approved Drug Eluting Stents - Rs 25,000/-
- (iii) All DCGI approved Drug Eluting Stents - Rs 25,000/-

(b) **Bare Metal Coronary Stents.**

- (i) Stainless Steel Stents - Rs 10,000/-
- (ii) **Cobalt Stents.**
 - (aa) All DCGI and FDA approved - Rs 12,000/-
 - (ab) All DCGI and CE approved - Rs 12,000/-
 - (ac) ALL DCGI approved - Rs 12,000/-
- (iii) Coated/other stents - Rs 25,000/-

0418
9/5

(c) **Bare Metal Vascular (Non Coronary) Stents.**

(i)	Stainless steel stents	- Rs 20,000/-
(ii)	Cobalt stents	- Rs 22,000/-
(iii)	Nitinol/other stents	- Rs 25,000/-

3. Reimbursement of beneficiaries/empanelled hospitals shall be limited to ceiling rates or as per actuals, whichever is lower.

4. Maximum three stents of which not more than two are drug eluting are permitted. In special cases when a patient requires additional stents prior approval of service cardiologist will be obtained as per procedure laid down vide our letter No B/49778/AG/ECHS/PA/Ruling dt 28 Jun 11.

5. If more than two drugs eluting stents are implanted in an empanelled hospital and no written informed consent was obtained from the beneficiary that he/she would bear the difference in cost between the DES and Bare Metal Stent, and the hospital charge this amount from the beneficiary, the additional amount shall be deducted from the pending bills of hospitals and shall be paid to the beneficiary.

6. It is essential for the empanelled hospitals to quote the Batch number when a coronary/vascular stent of any type is implanted in the case of a ECHS beneficiary and also to enclose a copy of the relevant invoices pertaining to the procurement of the stents by the hospitals. In addition to this, the outer pouch of the stent packet along with the sticker on it on which details of the stent are printed shall also be enclosed with the medical bill for claiming reimbursement from the ECHS. In case of treatment from a private non-empanelled hospital, where the treatment was taken in an emergency, it is the responsibility of the beneficiary to obtain the batch number, invoice and outer pouches of the stent (s) before the submission of the medical claim to ECHS, as the case may be.

7. The empanelled hospital shall submit a self certified undertaking that the hospital has not charged the ECHS beneficiary more than the rate at which the stent has been procured by the hospital and in case of any detection and establishment that the hospital has overcharged, the hospital shall be removed from the list of hospitals empanelled under ECHS without any further notice.

8. UTI-ITSL, while processing the hospital bills of coronary/vascular stents shall ensure that the hospitals have enclosed copies of the relevant invoices pertaining to the procurement of the stents by the hospitals and the outer pouch of the stent packet along with the sticker on it on which details of the stent are printed and that the prescribed rates and the guidelines have been followed, before making provisional payments to the hospitals.

9. The revised rates and guidelines shall come into force from the date of issue and shall be in force till they are revised.

10. This office letter No B/49773/AG/ECHS/ Rates/Policy dt 25 Nov 11 is hereby superseded.

V Anand
(Vijay Anand)
Col
Dir (Med)
for MD

Copy to :-

US (WE), DoESW/MoD
DGAFMS (DG - 3A)
DGMS (Army) (5-B)
DGMS (Navy)
DGMS (Air Force)
CGDA

Internal

Ops & Coord
P&FC
JD (IT) - for uploading on website.

DGMS (Air Force)